



SOT-343 PACKAGE OUTLINE DIMENSIONS



| Symbol | Dimensions In Millimeters | | Dimensions In Inches | |
|----------|---------------------------|-------|----------------------|-------|
| | Min. | Max. | Min. | Max. |
| A | 0.900 | 1.100 | 0.035 | 0.043 |
| A1 | 0.000 | 0.100 | 0.000 | 0.004 |
| A2 | 0.900 | 1.000 | 0.035 | 0.039 |
| b | 0.150 | 0.350 | 0.006 | 0.014 |
| c | 0.080 | 0.150 | 0.003 | 0.006 |
| D | 2.000 | 2.200 | 0.079 | 0.087 |
| E | 1.150 | 1.350 | 0.045 | 0.053 |
| E1 | 2.150 | 2.450 | 0.085 | 0.096 |
| e | 0.650 TYP. | | 0.026 TYP. | |
| e1 | 1.200 | 1.400 | 0.047 | 0.055 |
| L | 0.525 REF. | | 0.021 REF. | |
| L1 | 0.260 | 0.460 | 0.010 | 0.018 |
| θ | 0° | 8° | 0° | 8° |



中心距: 1.30
 脚宽: 0.25
 焊盘宽: 0.40
 脚长: 0.54
 焊盘长: 0.80

技术要求

1. 塑封体尺寸 2.10×1.25 ;
2. 未注公差为: ± 0.05 ;
3. 所有单位为: mm。

媒体编号

镀涂

旧底图总号

SOT-343
焊盘

底图总号

| 更改标记 | 数量 | 更改单号 | 签名 | 日期 |
|------|----|------|----|----|
| | | | | |
| | | | | |

| 等级标记 | 版号 | 比例 |
|------|----|------|
| | A | 20:1 |

日期 签名

| 设计 | 审核 | 工艺 |
|----|----|----|
| | | |
| | | |

第 1 张 共 1 张

标准化
批准

江苏长电科技股份有限公司

格式 (1)


制图:

描图:


幅面: A4



The bottom gasket



3000 x 15 PCS



3000 x 1 PCS

Label on the Reel




The top gasket



Seal the box with the tape

Label on the Inner Box

Inner Box: 210mm x 208mm x 203mm



Stamp "EMPTY" on the empty box

Seal the box with the tape

QA Label

Label on the Outer Box

Outer Box: 440mm x 440mm x 230mm